ELSEVIER

Volume 35 Numbers 1–3, December 1995

MATERIALS SCIENCE & ENGINEERING B

Contents

Preface x
Are quantum semiconductor devices delivering?. 1
M.J. Kelly (Guildford, UK)
Self-organized InGaAs quantum disk lasers 7
J. Temmyo, E. Kuramochi, M. Sugo, T. Nishiya, R. Nötzel, T. Tamamura (Kanagawa, Japan)
Visible vertical cavity surface emitting lasers at $\lambda < 650$ nm 12
Y.H. Chen, J. Woodhead, J.P.R. David C.C. Button, M. Hopkinson, J.S. Roberts, T.E. Sale P.N. Robson (Sheffield, UK)
Optimized design parameters of InGaAs–InP quantum well lasers. 17
P. Vaya, S.J. Chua (Singapore, Singapore), K. Kumar (Madras, India)
Switching characteristics of nonbiased optical bistability in asymmetric Fabry–Perot S-SEEDs made of extremely shallow quantum well structures 24
K. Kim, Y.W. Choi, O.K. Kwon, E.-H. Lee (Taejon, South Korea)
Barrier-modulated GaAs/InGaAs quantum well optoelectronic switch (QWOES) prepared by molecular beam epitaxy. . 29
K.F. Yarn, Y.H. Wang, M.S. Chen (Tainan, Taiwan)
High power aluminium-free InGaAsP/GaAs pumping diode lasers. 34
M. Razeghi, I. Eliashevich, J. Diaz, H.-J. Yi, S. Kim, M. Erdtmann, D. Wu, L.J. Wang (Evanston, IL, USA)
Photoluminescence of piezoelectric strained InGaAs–GaAs multi-quantum well p–i–n structures. 42
J.P.R. David, T.E. Sale, A.S. Pabla, P.J. Rodríquez-Gironés, J. Woodhead, R. Grey, G.J. Rees, P.N. Robson, M.S. Skolnick, R.A. Hogg (Sheffield, UK)
Reactive ion etched quantum wire structures for laser applications. 47
S.A. Gurevich, D.A. Zakheim, S.A. Solov'ev, A.E. Fedorovich, V.V. Komin, S.I. Nesterov, I.V. Kochnev, V.I. Scopina (St. Petersburg, Russia)
Quantum transport and non-linear dynamics of interacting quantized fields and applications to nanoelectronics and optoelectronics 51
A.K. Rajagopal, F.A. Buot (Washington, DC, USA)
Top sawtooth grating for GaAs/AlGaAs quantum well IR detectors 56
G.-C. Chi (Chungli, Taiwan), C. Juang (Hsinchu, Taiwan)
Hydride—VPE embedding of InAlGaAs laser structures with SI InP:Fe 59
R. Göbel, F. Steinhagen, H. Janning (Darmstadt, Germany)
Noise characteristics of electro-absorptive logic device utilizing asymmetric Fabry–Perot etalon structure in high optical power 64
O.K. Kwon, K. Kim, Y.W. Choi, E.-H. Lee (Taejon, South Korea)
Temperature dependence of luminescence in ZnSe 68
K. Yoshino, Y. Matsushima, S. Tiong-Palisoc, K. Ohmori, M. Hiramatsu (Okayama, Japan)
Saturation of the non-linear absorption in n–i–p–i multiple quantum well structures 72
T. Xiaohong, C.S. Jin (Singapore, Singapore)
IV-VI compositional MQWs and SLs for optoelectronic applications 76
V.V. Tetyorkin, F.F. Sizov, S.V. Svechnikov, V.G. Golovin (Kiev, Ukraine)
Single heterojunction structures for acoustic charge transfer devices 80
R.K. Hayden, R.C. Woods (Sheffield, UK)
New hole negative differential resistance strained-layer device. 87
H. Sheng, S.-J. Chua (Singapore, Singapore)
Dual-branch electron waveguide couplers 90
O. Vanbésien, D. Lippens (Villeneuve d'Ascq Cédex, France)

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

Elsevier Science S.A.

Novel high temperature metal organic chemical vapor deposition vertical rotating-disk reactor with multizone heating for GaN and related materials 97
R. Walker, A.I. Gurary, C. Yuan, P. Zawadzki, K. Moy, T. Salagaj, A.G. Ghompson W. J. Kroll, R. A. Stall, N.E. Schumaker (Somerset, NJ, USA)
State-of-the-art control of growth of superlattices and quantum wells 102
D. Schmitz, M. Deschler, F. Schulte, H. Juergensen (Aachen, Germany)
Optical and structural characterizations for optimized growth of $In_{0.52}Al_{0.48}As$ on InP substrates by molecular beam epitaxy 109
S.F. Yoon, Y.B. Miao, K. Radhakrishnan, S. Swaminathan (Singapore, Singapore)
Luminescence properties of p-type thin CdS films prepared by laser ablation. 117
B. Ullrich (Tokyo, Japan), H. Ezumi, S. Keitoku (Hiroshima, Japan), T. Kobayashi (Tokyo, Japan)
Quantum-size layered PbS/C structures deposited by pulsed laser evaporation in vacuum 120
V.I. Il'in, S.F. Musikhiin, L.G. Bakueva, O.V. Rabizo, S.A. Rykov (St. Petersburg, Russia)
The influence of exciton migration on photoluminescence lifetime in growth-interrupted GaAs/AlAs single quantum wells. 125
H. Yu, R. Murray (London, UK)
The effects of In segregation on the emission properties of $In_xGa_{1-x}As$/GaAs quantum wells 129
H. Yu, C. Roberts, R. Murray (London, UK)
Growth of GaAs–InP heteromaterials and corresponding strain determination. 133
S. Chen, Y. Li, H. Sun, Y. Peng, S. Liu (Changchun, People's Republic of China)
Photo-enhanced chemical vapour deposition of hydrogenated amorphous silicon carbon using an internal discharge lamp. 138
S. Miyajima, W.I. Milne (Cambridge, UK), S.F. Yoon, H.S. Tan (Singapore, Singapore)
The control and modification of metal-semiconductor interfaces using multi quantum barriers. 145
A. Kestle (Cardiff, UK), S.P. Wilks (Swansea, UK), D.I. Westwood, M. Ke, M. Elliot (Cardiff, UK), R.H. Williams (Swansea, UK)
Migration of silicon atoms in planar-doped GaAs/AlGaAs modulation doped fluid effect transistor heterostructures grown by molecular beam epitaxy. 149
A.T.G. Carvalho, A.G. de Oliveira, E.S. Alves, M.V. Baeta Moreira (Minas Gerais, Brazil)
Analysis of reaction gases flow in CVD processes 156
Y. Mizuno, S.-i. Uekusa (Kawasaki, Japan)
Native defects in gallium arsenide grown by molecular beam epitaxy and metallorganic chemical vapour deposition: effects of irradiation. 160
A. Jorio, C. Carlone (Sherbrooke, Canada), N.L. Rowell (Ottawa, Canada), A. Houdayer (Montréal, Canada), M. Parenteau (Sherbrooke, Canada)
Growth and characterization of strain-compensated InAsP/GaInP and InGaAs/GaInP multiple quantum wells. 166
C.W. Tu, X.B. Mei, C.H. Yan, W.G. Bi (La Jolla, CA, USA)
InN thin-film growth using an ECR plasma source. 171
Y. Sato, S. Sato (Akita, Japan)
MBE and MOCVD growth of AlGaAs–AlAs–GaAs double barrier multiple quantum well infrared detector. 176
T. Osotchan, V.W.L. Chin, T.L. Tansley (New Southwales, NSW, Australia), B.F. Usher (Bundoora, VIC, Australia), A. Clark, R.J. Egan (Australian Capital Territory, ACT, Australia)
Atomic-scale characterization of interfaces in the GaAs/AlGaAs superlattices 180
Yu.A. Pusep, S.W. da Silva, J.C. Galzerani, D.I. Lubyshev, P. Basmaji (São Carlos, Brazil), A.G. Milekhin, V.V. Preobrazhenskii, B.R. Semyagin, I.I. Marahovka (Novosibirsk, Russian Federation)
Critical layer thickness in MOCVD grown InGaAs–GaAs strained quantum wells 184
X. Zhang (Changchun, France), O. Briot, B. Gil, R. Aulombard (Montpellier, France)
Can nanolithography ever be a manufacturing technology. 188
R.F.W. Pease
A novel approach in fabrication and study of laterally quantum-confined resonant tunnelling diodes. 192
J. Wang (Kowloon, Hong Kong), P.H. Berton, N. Mori, L. Eaves, P.C. Main, T.J. Foster, M. Henini (Nottingham, UK)
Side-gated GaAs/AlGaAs double barrier resonant tunnelling diodes formed by patterened substrate regrowth 198
M.A. Quierin, J.H. Burroughes, M.P. Grimshaw, M.L. Leadbeater, D.A. Ritchie, M. Pepper (Cambridge, UK)
A hole facet wire formed by MBE regrowth over an ex-situ patterned GaAs substrate 203
R.J. Evans, T.M. Burke, J.H. Burroughes, M.P. Grimshaw, D.A. Ritchie, M. Pepper (Cambridge, UK)
A closed UHV focused ion beam patterning and MBE regrowth technique. 208
H. Muessig, Th. Hackbarth, H. Brugger (Ulm, Germany), A. Orth, J.P. Reithmaier, A. forchel (Würzburg, Germany)
Enhancement of side wall growth rate during MOVPE growth on patterned substrates with CCl_4 214
M.-S. Kim, Y. Kim, S-I Kim, S.-M. Hwang, J.-M. Kang, Y.-K. Park, S.-K. Min (Seoul, South Korea)
Collective fabrication of microsystems compatible with CMOS through the CMP service. 219
J.M. Karam, B. Courtois, J.M. Paret (Grenoble Cedex, France)
Spontaneous anisotropic chemical etching as a nanostructure surface modification method for the $A^{III}B^{V}$ semiconductors 224
T.Ya. Gorbach (Kiev, Ukraine), G. Svechnikov (Singapore, Singapore)

Selective wet etching of a GaAs/$Al_xGa_{1-x}As$ heterostructure with citric acid-hydrogen peroxide solutions for pseudomorphic GaAs/$Al_xGa_{1-x}As$/$In_yGa_{1-y}As$ heterojunction field effect transistor fabrication 230
H.J. Lee, M.S. Tse, K. Radhakrishnan, K. Prasad, J. Weng, S.F. Yoon, X. Zhou, H.S. Tan, S.K. Ting, Y.C. Leong (Singapore, Singapore)
Characterization of Ni/Ge/Au/Ni/Au contact metallization on AlGaAs/InGaAs heterostructures for pseudomorphic heterojunction field effect transistor application 234
H.J. Lee, M.S. Tse, K. Radhakrishnan, K. Prasad, J. Weng, S.F. Yoon, X. Zhou, H.S. Tan (Singapore, Singapore)
Magnetotunnelling transport phenomena and quantum chaos in semiconductor heterostructures
F.W. Sheard, T.M. Fromhold, P.B. Wilkinson (Nottingham, UK)
Field dependent vertical-transport studies in $Al_{0.24}Ga_{0.76}As$/GaAs double-quantum-well structures 245
S. Weber, U. Fontius, W. Limmer, K. Thonke, R. Sauer, K. Panzlaff (Ulm, Germany)
Electrical conductivity of δ doping superlattices parallel to the growth direction 250
J.R. Leite, S.C.P. Rodrigues, L.M.R. Scolfaro, R. Enderlein, D. Beliaev, A.A. Quivy (São Paulo, SP, Brazil)
Non-linear generation of alternating current harmonics in quantum dot superlattice miniband transport 256
X.L. Lei (Shanghai, China), N.J.M. Horing, H.L. Cui (Hoboken, NJ, USA), K.K. Thornber (Princeton, NJ, USA)
The study of GaAs/InGaAs δ-doping resonant interband tunneling diode 259
C.C. Yang, K.C. Huang (Kaohsiung, Taiwan), Y.K. Su, R.L. Wang (Tainan, Taiwan)
Determination of barrier heights in heterostructures utilising real-space transfer of hot electrons 263
J.P. Williams, J.E. Aubrey, C.R. Tucker, D.I. Westwood, S.M. Zahabi, (Cardiff, UK), C.D.W. Wilkinson (Glasgow, UK)
Photoreflectance investigations of semiconductor device structures 267
J.A.N.T. Soares, D. Beliaev, R. Enderlein, L.M.R. Scolfaro, M. Saito, J.R. Leite (São Paulo, SP, Brazil)
Direct optical analysis of the carrier diffusion in semiconductor wire structures 273
B. Hübner (Würzburg, Germany), R. Zengerle (Darmstadt, Germany), A. Forchel (Würzburg, Germany)
Disordered superlattices. 278
Akio Sasaki (Kyoto, Japan)
Thermalization effects of low dimensional excitons in quantum wires and quantum wells. 284
H. Akiyama, H. Sakaki (Tokyo, Japan)
Anisotropic optical matrix elements in [*hhk*]-oriented quantum wires 288
A. Atsushi Yamaguchi, A. Usui (Ibaraki, Japan)
Formation of AlGaAs quantum wires on vicinal GaAs(110) surfaces misoriented 3° toward (111)A by molecular beam epitaxy 295
H. Nakashima, M. Takeuchi, K. Sato, K. Shiba, H.K. Huang, K. Maehashi, K. Inoue (Osaka, Japan), J. Christen (Magdeburg, Germany), M. Grundmann, D. Bimberg (Berlin Germany)
Measurements of interface potentials in quantum wells 299
S. Mil'shtein, D. Kharas (Lowell, MA, USA)
Theory of novel nonlinear quantum transport effects in resonant tunneling structures. 303
F.A. Buot, A.K. Rajagopal (Washington, DC, USA)
Influence of surface structure on surface segregation and alloy properties in (100)- and (311)-oriented InGaAs/GaAs heterostructures 318
F.E.G. Guimarães, D. Lubyshev, V.A. Chitta, P. Basmaji (São Carlos, SP, Brazil)
Charge capture in AlGaAs/GaAs heterostructures with disordered antidot lattice 322
P. Basmaji (São Paulo, Brazil), G.M. Gusev (Grenoble, France), D.I. Lubyshev, M. de P.A. Silva (São Paulo, Brazil) J.C. Rossi (São Carlos, Brazil), Yu. V. Nastaushev, M.R. Baklanov (Novosibirsk, Russia)
Fermi-edge singularity of two dimensional electrons in asymmetric coupled double quantum wells 325
J.I. Lee, H.-K. Na, K.-S. Lee, E.-H. Lee (Taejon, South Korea), H.G. Lee (Cheongju, South Korea), C.-D. Song (Sendai, Japan)
Electron mobility in low temperature grown gallium arsenide. 330
P. Arifin, E.M. Goldys, T.L. Tansley (Macquarie University, NSW, Australia)
Influence of strong magnetic fields on the ionization of the modulation-doped donors in $Al_xGa_{1-x}As$–GaAs–$Al_yGa_{1-y}As$ single quantum wells 334
W. Xu (Canberra, Australia)
Edge states in strong electric and magnetic fields in a two-dimensional semiconductor system 341
W. Xu (Canberra, Australia)
Blue shifts from doubly δ-doped heterostructures. 345
A.J. Dewdney, R. Murray, H. Yu, C. Roberts (London, UK)
Ballistic electron emission microscopy of InAs/$Ga_{1-x}Al_xAs$ relaxed heterostructure interfaces 349
M.-l. Ke, D.I. Westwood, C.C. Matthai, B. Richardson (Cardiff, UK)
Examination of internally delta-doped gallium arsenide resonant tunnelling structures 353
R. Nawaz, A.L. Bryant, M. Elliott, D.I. Westwood (Cardiff, UK), S.P. Wilks (Swansea, UK)

Influence of strain relaxation on the electronic properties of buried quantum wells and wires 357
J.R. Downes, D.A. Faux, E.P. O'Reilly (Guildford, UK)
Low-dimensional transports in GaAs/AlGaAs quasi-one-dimensional wires by a correlation field analysis of the phase coherent interfaces 364
Y. Ochiai, K. Yamamoto (Chiba, Japan), K. Ishibashi, J.P. Bird, Y. Aoyagi, T. Sugano (Saitama, Japan), D.K. Ferry (Tempe, AZ, USA)
Self-consistent calculation of electronic states in asymmetric double barrier structure 367
A. Song, H. Zheng (Beijing, China)
Quantum interference effect in GaAs/AlGaAs double quantum wells 372
X. Wang (Beijing, China), Q. Yu, R. Laiho (Turku, Finland), C. Li, J. Liu, X. Yang, H. Zheng (Beijing, China)
Proton implantation of $Al_xGa_{1-x}As$/GaAs resonant-tunnelling diode structures. 376
K. Billen, M.J. Kelly, S.V. Hutchinson, M. Henini, G. Hill (Guildford, UK; Nottingham, UK; Sheffield, UK)
Anomalous peaks in the Shubnikov-de Haas spectra of a top gated AlGaAs/GaAs heterostructure. 382
P. Ramvall, Q. Du, H. Xu, P. Omling (Lund, Sweden)
Role of the InAs monomolecular plane inserted in bulk GaAs 386
N. Tit, M. Peressi (Trieste, Italy)
Photo-Hall studies of modulation-doped field-effect transistor heterostructures using $(InAs)_m(GaAs)_n$ superlattice channels . 391
M.V. Baeta Moreira, A.G. de Oliveira (Belo Horizonte, Brazil), M.A. Py (Lausanne, Switzerland)
Comparative studies of photoluminescence from n and p δ doping wells in GaAs. 396
R. Enderlein, G.M. Sipahi, L.M.R. Scolfaro, J.R. Leite (São Paulo, SP, Brazil), I.F.L. Diaz (Parana, Brazil)
Investigation of the photoluminescence linewidth broadening in symmetric and asymmetric InGaAs/GaAs n-type δ-doped quantum wells 401
A. Tabata, A.M. Ceschin, A.A. Quivy, A. Levine, J.R. Leite, R. Enderlein (São Paulo, SP, Brazil), J.B.B. Oliveira, E. Laureto, J.L. Gonçalves (Campinas, SP, Brazil)
Photoluminescence properties of AlAs/GaAs disordered superlattices with fixed GaAs or AlAs layer thickness 406
K. Uno, S. Noda, A. Sasaki (Kyoto, Japan)
Raman scattering in PbI_2 clusters incorporated into zeolite cages 410
Z.K. Tang (Kowloon, Hong Kong), Y. Nozue, T. Goto (Sendai, Japan)
Vertical electron transport in semiconductor superlattices Monte Carlo simulation 417
J. Voves (Praha, Czech Republic)
Theoretical study of resonant tunneling in symmetrical rectangular triple-barrier structures with deep wells 421
H. Yamamoto, K. Tsuji, Y. Ikeda, K. Taniguchi (Fukui, Japan)
Excitation spectra of two-dimensional bounded electronic systems in a strong magnetic field 429
Al.A. Andreev (Moscow, Russia), Ya.M. Blanter (Karlsruhe, Germany), Yu. E. Lozovik (Moscow, Russia)
Investigation of resonant interband tunneling structures using a three-band $\vec{k} \cdot \vec{p}$ model 435
M.H. Liu, Y.H. Wang, M.P. Houng (Tainan, Taiwan)
Shape effects of the conductance of a quantum ballistic constriction in a two-dimensional electron gas 440
M.S. Chung, J.S. Choi, J.M. Park (Ulsan, South Korea), K.S. Lee (Pusan, South Korea)
Modulation characteristics of AlAs/GaAs double barrier quantum well resonant tunneling structure at microwave frequencies 446
H.Y. Chu, P.W. Park, E.H. Lee (Taejon, South Korea)
Photoluminescence in degenerate p-type GaAs layers grown by molecular beam epitaxy 449
D.H. Zhang, K. Radhakrishnan, S.F. Yoon, Z.Y. Han (Singapore, Singapore)
Photoluminescence properties of AlGaP superlattices. 454
Y. Nabetani, A. Wakahara, A. Sasaki (Kyoto, Japan)
The electronic structure and luminescence properties of porous silicon and silicon nanoclusters 459
J.L. Gavartin, C.C. Matthai (Cardiff, UK)
Doping dependence of intersubband transitions in $Si_{1-x}Ge_x$/Si multiple quantum wells 463
G. Karunasiri, S.J. Chua (Singapore, Singapore), J.S. Park (Pasadena, CA, USA), K.L. Wang (Los Angeles, CA, USA)
Nanocrystalline Si: a material constructed by Si quantum dots. 467
X. Zhao, O. Schoenfeld, S. Nomura, S. Komuro, Y. Aoyagi, T. Sugano (Saitama, Japan)
Real-time monitoring of heteroepitaxial growth processes on the silicon(001) surface by p-polarized reflectance spectroscopy 472
K.J. Bachmann, U. Rossow, N. Dietz (Raleigh, NC, USA)
Ge composition dependence of photoluminescence properties of $Si_{1-x}Ge_x$/Si disordered superlattices 479
A. Wakahara, K. Kuramoto, Y. Nomura, A. Sasaki (Kyoto, Japan)
Be delta-doped layers in GaAs studied by scanning tunnelling microscopy 485
P.M. Koenraad (Eindhoven, Netherlands), M.B. Johnson, H.W.M. Salemink (Rschlikon, Switzerland), W.C. van der Vleuten, J.H. Wolter (Eindhoven, Netherlands)

A comparison of observed and simulated scanning tunneling images of the reconstructured GaAs(001) surface 489
C.C. Matthai, J.M. Bass (Cardiff, UK), M.D. Jackson, J.M.C. Thornton, P. Weightman (Liverpool, UK)
Zinc doped polycrystalline CdSe films for solar energy conversion 493
M. Ramrakhiani (Jabalpur, India)

AUTHOR INDEX 497
SUBJECT INDEX 501